

the
**BEAD
SMITH**®

NEW!


flex-rite®

BEADING WIRE

Flex-Rite® by the BeadSmith is a professional quality beading wire at an affordable price!

Flex-Rite® Beading Wire offers a variety of choices for creating professional-looking bead jewelry. Flex-Rite® uses state of the art micro-wire technology to produce a wire that is strong, soft, and flexible. Select from our versatile range of colors, materials, diameters, & strand counts to suit all of your jewelry-making needs!

- 5 Varieties in up to 7 Diameters
- Great Selection of Colors
- Excellent Drape
- Abrasion Resistant
- Super Flexible
- Kink Resistant
- Knottable*
- Supple



Flex-Rite49 - Premium Quality, Most Flexible

Flex-Rite21 / Flex-Rite19 - Pro Quality, More Flexible

Flex-Rite7 - Good Quality (softer than "Tiger Tail"), Most Economical

Stainless Steel

**Stainless Steel Plated
with Sterling Silver**


**Stainless Steel Plated
with 24k Gold**

**.925 Sterling Silver
Brass**



*Sterling silver, silver plated, and gold plated Flex-Rite® should be crimped, NOT knotted, to avoid breakage.

order by phone 732.969.5300 fax 732.969.5310 web www.beadsmith.com e-mail info@beadsmith.com



- **Most Flexible**
- **Premium Quality**



.925 Sterling Silver 49 Strand Wire

.925 Sterling Silver wire coated in clear nylon. Two diameters to choose from on 10 or 30 ft. spools. This wire should be crimped, not knotted, to avoid breakage.

Item #	Diameter	Color/Wire Type	Length	Break
FLX43101	.018"/.45mm	Clear/.925 Sterling Silver	10 ft/3.05m	6 lb
FLX43102	.018"/.45mm	Clear/.925 Sterling Silver	30 ft/9.14m	6 lb
FLX45101	.024"/.6mm	Clear/.925 Sterling Silver	10 ft/3.05m	9 lb
FLX45102	.024"/.6mm	Clear/.925 Sterling Silver	30 ft/9.14m	9 lb

Actual Size of Wire Diameters

- .014"/.35mm
- .018"/.45mm
- .024"/.6mm



Sterling Silver Plated 49 Strand Wire

Stainless steel wire with Sterling Silver Plate, coated in clear nylon. Three diameters to choose from on 30 foot spools. This wire should be crimped, not knotted, to avoid breakage.

Item #	Diameter	Color/Wire Type	Length	Break
FLX42082	.014"/.35mm	Clear/Stg. Silver Plated Steel	30 ft/9.14m	13 lb
FLX43082	.018"/.45mm	Clear/Stg. Silver Plated Steel	30 ft/9.14m	24 lb
FLX45082	.024"/.6mm	Clear/Stg. Silver Plated Steel	30 ft/9.14m	35 lb



24k Gold Plated 49 Strand Wire

Stainless steel wire with 24K Gold Plate, coated in clear nylon. Three diameters to choose from on 10 or 30 foot spools. This wire should be crimped, not knotted, to avoid breakage.

Item #	Diameter	Color/Wire Type	Length	Break
FLX42111	.014"	Clear/24K Gold Plated Steel	10 ft/3.05m	13 lb
FLX42112	.014"	Clear/24K Gold Plated Steel	30 ft/9.14m	13 lb
FLX43111	.018"	Clear/24K Gold Plated Steel	10 ft/3.05m	24 lb
FLX43112	.018"	Clear/24K Gold Plated Steel	30 ft/9.14m	24 lb
FLX45111	.024"	Clear/24K Gold Plated Steel	10 ft/3.05m	35 lb
FLX45112	.024"	Clear/24K Gold Plated Steel	30 ft/9.14m	35 lb

flex-rite⁴⁹ most flexible

stainless steel 49 strand wire

Actual Size of
Wire Diameters

- .012"/.3mm
- .014"/.35mm
- .018"/.45mm
- .024"/.6mm



- Most Flexible
- Premium Quality
- 10 Finishes Available



Stainless steel wire coated in Black, Bronze, Clear, Copper, Satin Gold, Pearl Silver, or White nylon. All colors come on 30 foot spools, Clear is also available in 100 ft. spools.

Item #	Diameter	Color/Wire Type	Length	Break
FLX41012	.012"/.3mm	Clear	30 ft/9.14m	9 lb
FLX41013	.012"/.3mm	Clear	100 ft/30.5m	9 lb
FLX42012	.014"/.35mm	Clear	30 ft/9.14m	13 lb
FLX42013	.014"/.35mm	Clear	100 ft/30.5m	13 lb
FLX43012	.018"/.45mm	Clear	30 ft/9.14m	24 lb
FLX43013	.018"/.45mm	Clear	100 ft/30.5m	24 lb
FLX45012	.024"/.6mm	Clear	30 ft/9.14m	35 lb
FLX45013	.024"/.6mm	Clear	100 ft/30.5m	35 lb

Item #	Diameter	Color/Wire Type	Length	Break
FLX42022	.014"/.35mm	Black	30 ft/9.14m	13 lb
FLX43022	.018"/.45mm	Black	30 ft/9.14m	24 lb
FLX45022	.024"/.6mm	Black	30 ft/9.14m	35 lb

Item #	Diameter	Color/Wire Type	Length	Break
FLX42062	.014"/.35mm	Bronze	30 ft/9.14m	13 lb
FLX43062	.018"/.45mm	Bronze	30 ft/9.14m	24 lb
FLX45062	.024"/.6mm	Bronze	30 ft/9.14m	35 lb

Item #	Diameter	Color/Wire Type	Length	Break
FLX42072	.014"/.35mm	Copper	30 ft/9.14m	13 lb
FLX43072	.018"/.45mm	Copper	30 ft/9.14m	24 lb
FLX45072	.024"/.6mm	Copper	30 ft/9.14m	35 lb

Item #	Diameter	Color/Wire Type	Length	Break
FLX42042	.014"/.35mm	Satin Gold	30 ft/9.14m	13 lb
FLX43042	.018"/.45mm	Satin Gold	30 ft/9.14m	24 lb
FLX45042	.024"/.6mm	Satin Gold	30 ft/9.14m	35 lb

Item #	Diameter	Color/Wire Type	Length	Break
FLX42052	.014"/.35mm	Pearl Silver	30 ft/9.14m	13 lb
FLX43052	.018"/.45mm	Pearl Silver	30 ft/9.14m	24 lb
FLX45052	.024"/.6mm	Pearl Silver	30 ft/9.14m	35 lb

Item #	Diameter	Color/Wire Type	Length	Break
FLX42032	.014"/.35mm	White	30 ft/9.14m	13 lb
FLX43032	.018"/.45mm	White	30 ft/9.14m	24 lb
FLX45032	.024"/.6mm	White	30 ft/9.14m	35 lb



flex-rite²¹

stainless steel 21 strand wire



- Very Flexible
- Pro Quality



Stainless steel wire coated in clear nylon. Four diameters to choose from on 30 or 100 ft. spools.

Item #	Diameter	Color/Wire Type	Length	Break
FLX31012	.012"/.3mm	Clear/Stainless Steel	30 ft/9.14m	6 lb
FLX31013	.012"/.3mm	Clear/Stainless Steel	100 ft/30.5m	6 lb
FLX32012	.014"/.35mm	Clear/Stainless Steel	30 ft/9.14m	10 lb
FLX32013	.014"/.35mm	Clear/Stainless Steel	100 ft/30.5m	10 lb
FLX34012	.020"/.5mm	Clear/Stainless Steel	30 ft/9.14m	30 lb
FLX34013	.020"/.5mm	Clear/Stainless Steel	100 ft/30.5m	30 lb
FLX35012	.024"/.6mm	Clear/Stainless Steel	30 ft/9.14m	40 lb
FLX35013	.024"/.6mm	Clear/Stainless Steel	100 ft/30.5m	40 lb



Actual Size of Wire Diameters

- .012"/.3mm
- .014"/.35mm
- .018"/.45mm
- .020"/.5mm
- .024"/.6mm

flex-rite¹⁹

sterling silver plated stainless steel



- Very Flexible
- Pro Quality



Very flexible pro quality 19 strand stainless steel wire with Sterling Silver Plate, coated in clear nylon. Two diameters to choose from on 30 foot spools. This wire should be crimped, not knotted, to avoid breakage.

Item #	Diameter	Color/Wire Type	Length	Break
FLX22082	.014"	Clear/Stg. Silver Plated Steel	30 ft/9.14m	13 lb
FLX23082	.018"	Clear/Stg. Silver Plated Steel	30 ft/9.14m	30 lb




flex-rite¹⁹

24kt gold plated stainless steel



- Very Flexible
- Pro Quality



Very flexible pro quality 19 strand stainless steel wire with 24K Gold Plate, coated in clear nylon. Two diameters to choose from on 30 foot spools. This wire should be crimped, not knotted, to avoid breakage.

Item #	Diameter	Color/Wire Type	Length	Break
FLX22112	.014"	Clear/24K Gold Plated Steel	30 ft/9.14m	13 lb
FLX23112	.018"	Clear/24K Gold Plated Steel	30 ft/9.14m	30 lb



flex-rite⁷



Actual Size of
Wire Diameters

- .007"/.17mm
- .010"/.25mm
- .012"/.3mm
- .014"/.35mm
- .018"/.45mm
- .020"/.5mm
- .024"/.6mm



- **Most Economical**
- **Good Quality**
- **Softer & More Flexible than "Tiger Tail"**



Stainless steel wire coated in Black, Bronze, Clear, Copper, Satin Gold, Pearl Silver, or White nylon. All colors come on 30 foot spools, Clear is also in available in 100 ft. spools.

Item #	Diameter	Color/Wire Type	Length	Break
FLX16012	.007"/.17mm	Clear/Stainless Steel	30 ft/9.14m	3 lb
FLX16013	.007"/.17mm	Clear/Stainless Steel	100 ft/30.5m	3 lb
FLX17012	.010"/.25mm	Clear/Stainless Steel	30 ft/9.14m	8 lb
FLX17013	.010"/.25mm	Clear/Stainless Steel	100 ft/30.5m	8 lb
FLX11012	.012"/.3mm	Clear/Stainless Steel	30 ft/9.14m	8 lb
FLX11013	.012"/.3mm	Clear/Stainless Steel	100 ft/30.5m	8 lb
FLX12012	.014"/.35mm	Clear/Stainless Steel	30 ft/9.14m	8 lb
FLX12013	.014"/.35mm	Clear/Stainless Steel	100 ft/30.5m	8 lb
FLX13012	.018"/.45mm	Clear/Stainless Steel	30 ft/9.14m	18 lb
FLX13013	.018"/.45mm	Clear/Stainless Steel	100 ft/30.5m	18 lb
FLX14012	.020"/.5mm	Clear/Stainless Steel	30 ft/9.14m	20 lb
FLX14013	.020"/.5mm	Clear/Stainless Steel	100 ft/30.5m	20 lb
FLX15012	.024"/.6mm	Clear/Stainless Steel	30 ft/9.14m	40 lb
FLX15013	.024"/.6mm	Clear/Stainless Steel	100 ft/30.5m	40 lb
FLX11022	.012"/.3mm	Black/Stainless Steel	30 ft/9.14m	8 lb
FLX12022	.014"/.35mm	Black/Stainless Steel	30 ft/9.14m	8 lb
FLX13022	.018"/.45mm	Black/Stainless Steel	30 ft/9.14m	18 lb
FLX14022	.020"/.5mm	Black/Stainless Steel	30 ft/9.14m	20 lb
FLX15022	.024"/.6mm	Black/Stainless Steel	30 ft/9.14m	40 lb
FLX11062	.012"/.3mm	Bronze/Stainless Steel	30 ft/9.14m	8 lb
FLX12062	.014"/.35mm	Bronze/Stainless Steel	30 ft/9.14m	8 lb
FLX13062	.018"/.45mm	Bronze/Stainless Steel	30 ft/9.14m	18 lb
FLX14062	.020"/.5mm	Bronze/Stainless Steel	30 ft/9.14m	20 lb
FLX15062	.024"/.6mm	Bronze/Stainless Steel	30 ft/9.14m	40 lb
FLX11072	.012"/.3mm	Copper/Stainless Steel	30 ft/9.14m	8 lb
FLX12072	.014"/.35mm	Copper/Stainless Steel	30 ft/9.14m	8 lb
FLX13072	.018"/.45mm	Copper/Stainless Steel	30 ft/9.14m	18 lb
FLX14072	.020"/.5mm	Copper/Stainless Steel	30 ft/9.14m	20 lb
FLX15072	.024"/.6mm	Copper/Stainless Steel	30 ft/9.14m	40 lb
FLX11042	.012"/.3mm	Satin Gold/Stainless Steel	30 ft/9.14m	8 lb
FLX12042	.014"/.35mm	Satin Gold/Stainless Steel	30 ft/9.14m	8 lb
FLX13042	.018"/.45mm	Satin Gold/Stainless Steel	30 ft/9.14m	18 lb
FLX14042	.020"/.5mm	Satin Gold/Stainless Steel	30 ft/9.14m	20 lb
FLX15042	.024"/.6mm	Satin Gold/Stainless Steel	30 ft/9.14m	40 lb
FLX11052	.012"/.3mm	Pearl Silver/Stainless Steel	30 ft/9.14m	8 lb
FLX12052	.014"/.35mm	Pearl Silver/Stainless Steel	30 ft/9.14m	8 lb
FLX13052	.018"/.45mm	Pearl Silver/Stainless Steel	30 ft/9.14m	18 lb
FLX14052	.020"/.5mm	Pearl Silver/Stainless Steel	30 ft/9.14m	20 lb
FLX15052	.024"/.6mm	Pearl Silver/Stainless Steel	30 ft/9.14m	40 lb
FLX11032	.012"/.3mm	White/Stainless Steel	30 ft/9.14m	8 lb
FLX12032	.014"/.35mm	White/Stainless Steel	30 ft/9.14m	8 lb
FLX13032	.018"/.45mm	White/Stainless Steel	30 ft/9.14m	18 lb
FLX14032	.020"/.5mm	White/Stainless Steel	30 ft/9.14m	20 lb
FLX15032	.024"/.6mm	White/Stainless Steel	30 ft/9.14m	40 lb

BLACK



BRONZE



COPPER



SATIN GOLD



PEARL SILVER



WHITE



flex-rite⁷

.925 sterling silver 7 strand wire



- Most Economical
- Good Quality
- Great for General Purpose Jewelry
- Softer & More Flexible than "Tiger Tail"



.925 Sterling Silver wire coated in clear nylon. Two diameters to choose from on 10 or 30 ft. spools. Sterling Silver wire should be crimped, not knotted, to avoid breakage.

Item #	Diameter	Color/Wire Type	Length	Break
FLX12101	.014"/.35mm	Clear/.925 Sterling Silver	10 ft/3.05m	7 lb
FLX12102	.014"/.35mm	Clear/.925 Sterling Silver	30 ft/9.14m	7 lb
FLX14101	.019"/.48mm	Clear/.925 Sterling Silver	10 ft/3.05m	11 lb
FLX14102	.019"/.48mm	Clear/.925 Sterling Silver	30 ft/9.14m	11 lb

**Actual Size of
Wire Diameters**

- .012"/.3mm
- .014"/.35mm
- .018"/.45mm
- .019"/.48mm
- .024"/.6mm




flex-rite⁷

pure brass 7 strand wire



- Most Economical
- Good Quality
- Great for General Purpose Jewelry
- Softer & More Flexible than "Tiger Tail"



100% Pure Brass wire coated in clear nylon. Four diameters to choose from on 30 foot spools.

Item #	Diameter	Color/Wire Type	Length	Break
FLX11092	.012"/.3mm	Clear/100% Brass	30 ft/9.14m	5 lb
FLX12092	.014"/.35mm	Clear/100% Brass	30 ft/9.14m	11 lb
FLX13092	.018"/.45mm	Clear/100% Brass	30 ft/9.14m	15 lb
FLX15092	.024"/.6mm	Clear/100% Brass	30 ft/9.14m	27 lb